



New Day in Medicine
Новый День в Медицине

NDM



TIBBIYOTDA YANGI KUN

Ilmiy referativ, marifiy-ma'naviy jurnal



AVICENNA-MED.UZ



ISSN 2181-712X.
EiSSN 2181-2187

10 (48) 2022

МУНДАРИЖА * CONTENTS * СОДЕРЖАНИЕ

SCIENTIFIC-THEORETICAL MEDICINE

<i>Oblokulov A.A., Mukhammadieva M.I.</i>	
CLINICAL AND LABORATORY CHARACTERISTICS OF LIVER CIRRHOSIS PATIENTS OF VIRAL ETIOLOGY WITH SPONTANEOUS BACTERIAL PERITONITIS.....	2
<i>Shadieva Sh.Sh., Habibova N.N.</i>	
DYNAMICS OF ORAL MICROFLORA IN PATIENTS WITH INFLAMMATORY DISEASES OF CHRONIC GENERALIZED PERIODONTITIS AND FUNCTIONAL DYSPEPSIA.....	9
<i>Rakhmatov Olim Bobomurodovich</i>	
STUDYING THE EFFECT OF THE IMMUNOMODULATOR GEPON ON TNF- α IN THE SERUM OF THE BLOOD OF PATIENTS WITH CUTANEOUS LEISHMANIASIS.....	15
<i>Sadiev E.S., Israilov R.</i>	
PULMONARY ARTERY THROMBOEMBOLISM AFTER NODULAR HEART DEFECT SURGERY.....	21
<i>Hamdamova . . . , Rabiev S.N.</i>	
SOMATOMETRIC DATA OF CONSTITUTIONAL FEATURES OF THE BODY SHAPE OF PREGNANT WOMEN.....	26
<i>Valieva M. Yu., Salokhiddinov Z. S., Mamasaliev N.S.</i>	
ANALYSIS OF THE STUDY OF THE CHARACTERISTICS OF THE DETECTION OF PREMIPERATING AND ARTERIAL HYPERTENSION, DEPENDING ON SOME SOCIAL FACTORS.....	34
<i>Alibekov S.O., Salokhiddinov Z.S., Mamasaliev N.S.</i>	
EPIDEMIOLOGICAL FEATURES OF HYPERGLYCEMIA AND MICROELEMENTOSIS IN POPULATIONS OF HIV-INFECTED.....	38
<i>Egamov B.</i>	
MORPHOLOGICAL CHANGES IN THE KIDNEYS IN INFANTS WHO DIED OF PNEUMONIA IN THE NEONATAL PERIOD.....	42
<i>D.M. Mamazhanova., F.I. Shukurov</i>	
FEATURES OF THE HEMOSTASIS SYSTEM IN PREGNANT WOMEN VACCINATED AGAINST COVID-19.....	47
<i>Kh.Z. Akhmedzhanova., X.N. Tursunova., F.I. Shukurov</i>	
STATE OF OVARIAN RESERVE IN WOMEN OF LATE REPRODUCTIVE AGE.....	52
<i>Shaikhova G.I., Turaev F.Sh</i>	
CURRENT STATE OF THE PROBLEM OF USE OF SPECIALIZED PRODUCTS WITH ENHANCED SOY.....	57
<i>Rasulova I.A., Khamdamov A.B.</i>	
DURATION OF IMMUNITY IN CUTANEOUS LEISHMANIASIS.....	64
<i>Mirzaabdullakhozhieva O.U., Zufarova Sh.A., Yuldasheva O.S.</i>	
ANALYSIS OF SERUM INTERFERONS AND IL-28B IN PREGNANT WOMEN WITH CHRONIC VIRAL HEPATITIS B.....	70
<i>Shokirov Kamol Fazlievich</i>	
ADAPTIVE PHYSICAL CULTURE AND SPORT.....	76
<i>Zufarova Sh.A., Mirzaabdullakhozhieva O.U.</i>	
TACTICS OF MANAGEMENT AND TREATMENT OF VIRAL HEPATITIS B IN PREGNANT WOMEN.....	82
<i>Tojiev F.I., Karimov Sh.I., Sharopov S.G., Murtazayev S.M., Azimov A.M., Ismoiluzhayeva K.G.</i>	
OPTIMIZATION OF RESTORATION OF ALVEOLAR DEFECTS OF THE ELEVENTH JUSTICE WITH INDIVIDUAL TITAN CONSTRUCTIONS FOR CONGENITAL CLEFT OF THE PALATE AND LIPS.....	89
<i>Oltieva Malohat, Alieva Dilfuza</i>	
METABOLIC SYNDROME AND INFERTILITY.....	94
<i>Mansurova M.Kh., Nazhmidinov Z.N., Shukurov F.I.</i>	
THE ROLE OF HYSTERORESECTOSCOPY IN THE TREATMENT OF INFERTILITY IN WOMEN DUE TO INTRAUTERINE PATHOLOGY.....	102
<i>Nazhmidinov Z.N., Mansurova M.Kh., Shukurov F.I.</i>	
THE ROLE OF LAPAROSCOPY IN THE DIAGNOSTICS AND TREATMENT OF INFERTILITY IN WOMEN WITH COMBINED PELVIC PATHOLOGY.....	105
<i>Dekhonov K.A., Axmedov Sh.M., Shagiyazova L.M.</i>	
CORRECTION OF THE METOBOLITIC PROCESS IN URONOSTONE DISEASE COMPLICATED BY OBSTRUCTIVE PYELONEPHRITIS IN THE EXPERIMENT.....	109

Мақолалардаги маълумотлар учун мualлиф ва бош муҳаррир масъул.

Таҳририят фикри мualлифлар фикри билан муносиб бўлмаслиги мумкин.

Барча мualлифлик ҳуқуқлари ҳимояланган.

Барча маълумотлар таҳририят ёзма рухсатисиз чоп этилмайди.

Масъул муҳаррир: *Сафоев Б.Б.*
Бадий муҳаррир: *Пулатов С.М.*
Таржимон: *Fайбулаев С.С.*

Теришга берилди 15.09.2022 й.
Босишга рухсат этилди 20.09.2022 й.
Бичими 60×84 ¼.
Шартли босма табоби 47.0.
Офсет қозозида чоп этилди.
Адади 100 нусха.
42-буюргма.
«HUMOYUNBEK-ISTIQLOL MO'JIZASI»
босмахонасида чоп этилди. 100000.
Тошкент, А. Темур кўчаси, 60 А.

«Тиббиётда янги кун» тиббиёт журнали таҳририяти,
Тошкент ш., 100011,
Навоий кўчаси, 30-уй,
тел.: +99890 8061882,
e-mail: ndmuz@mail.ru

Тошкент вилояти Матбуот ва ахборот бошқармасида 2012 йил 16 февралда рўйхатта олинган (03-084-соны гувоҳнома).
Баҳоси келишилган нархда.
Нашр кўрсаткичи 7048.



AYOLLARDA BACHADON ICHI PATOLOGIYASI BILAN BOG'LIQ BEPUSHTLIKNI DAVOLASHDA GISTEROREZEKTOSKOPIYANING IMKONIYATLARI

Mansurova M.X., Nazmidinov Z.N., Shukurov F.I.

Toshkent tibbiyot akademiyasi

✓ Rezume

Bachadonichi patologiyasi bilan bog'liq bepushtlik mavjud 80 nafar ayol tadqiqotga kiritildi, jumladan bachadon bo'shlig'i sinexiyasi bilan kasallangan 23 nafar bemor va endometriy polipli 37 nafar ayol tekshirildi, nazorat guruhini reproduktiv yoshdagi 20 nafar sog'lom ayollardan iborat edi. Bachadon bo'shlig'ida sinexiya bilan og'rigan 23 nafar ayolga gisterorezektoskopiya yordamida adgezioliz, 30 nafar ayolga polipektomiya o'tkazildi. Gisterorezektoskopiyadan foydalanish bepushtlik sabablarini bir vaqtning o'zida tuzatishga yordam beradi, bu esa endometriy patologiya tufayli bepushtlik bilan og'rigan ayollarning 83,4% homilador bo'lishga olib keldi.

Kalit so'zlar. bepushtlik, bachadon bo'shlig'inining sinexiyasi, endometriy polipi, gisterorezektoskopiya

ВОЗМОЖНОСТИ ГИСТЕРОРЕЗЕКТОСКОПИИ В ЛЕЧЕНИИ БЕСПЛОДИЯ У ЖЕНЩИН ОБУСЛОВЛЕННЫМ ВНУТРИМАТОЧНОЙ ПАТОЛОГИЕЙ

Мансурова М.Х., Нажмидинов З.Н., Шукров Ф.И.

Ташкентская медицинская академия

✓ Резюме

Обследовано 80 женщин с бесплодием обусловленным внутриматочной патологией, из них 23 больных с синехиями полости матки и 37 женщин с полипами эндометрия, контрольную группу составили 20 здоровые женщины репродуктивного возраста. С помощью гистерорезектоскопии у 23 (10,8%) женщин с синехиями в полости матке произведено адгезиолизис, у 30 женщин полипэктомия. Применение гистерорезектоскопии способствует полной диагностике причин бесплодия, одновременной их коррекцией, что привело частоту наступления беременности у 83,4% женщин с бесплодием обусловленным патологией эндометрия.

Ключевые слова. бесплодия, синехии полости матки, полип эндометрия, гистерорезектоскопия

THE ROLE OF HYSTERORESECTOSCOPY IN THE TREATMENT OF INFERTILITY IN WOMEN DUE TO INTRAUTERINE PATHOLOGY

Mansurova M.Kh., Nazhmidinov Z.N., Shukurov F.I.

Tashkent Medical Academy

✓ Resume

80 women with infertility caused by intrauterine pathology were examined, including 23 patients with synechia of the uterine cavity and 37 women with endometrial polyps, the control group consisted of 20 healthy women of reproductive age. With the help of hysteroresectoscopy, 23 (10.8%) women with synechia in the uterine cavity underwent adhesiolysis, and 30 women underwent polypectomy. The use of hysteroresectoscopy contributes to the complete diagnosis of the causes of infertility, their simultaneous correction, which led to the pregnancy rate in 83.4% of women with infertility due to endometrial pathology.

Key words. infertility, synechia of the uterine cavity, endometrial polyp, hysteroresectoscopy



Dolzarbliги

Ayollarda reproduktiv funksiyasining buzilishi ko'plab sabablar natijasi kelib chiqadi, shunday sabablar ichida bachadon omili 24-62% ni tashkil qiladi [3,4]. Bachadonichi patologiyalari ayollar bepushtligining 10-15%da bitta o'zi va 50% holatda boshqa omillar bilan birgalikda bepushtlikning sababchisi bo'lib hisoblanada [5].

Bachadonichi patologiyasi yig'ma tushuncha bo'lib, etiologiyasi va patogenezi bo'yicha bir biridan farq qiluvchi bir necha kasalliklarni o'z ichiga oladi: bachadon submukoz va sentrapetal o'sishi turlari, adenomioz, surunkali endometrit, endometriy giperplastik jarayonlari va bachadon ichi sinexiyalari [6]. Bachadon ichi patologiyalarini davolashning yagona va samarali yo'li bu gisterorezektoskopiya usulidir. Gisterorezektoskopiya bachadonichi turli patologiyalarini davolash uchun kam jaraoxatchan jarrohlik usuli bo'lib hisoblanib, bugungi kunda mazkur patologiyalarini jarrohlik yuli bilan davolashning eng ilg'or va samarali usullaridan biri hisoblanadi[7]. Bachadon bo'shilg'ining sinexiyasi va endometriy poliplari, bachadondan qon ketishidan tashqari, ko'pincha reproduktiv disfunksiyaning asosiy (bepushtlik, abort) sababchilari bo'lib hisoblanadi[8].

Bachadonda chandiq hosil qoldirmasdan organ saqlovchi jarrohlik usullaridan biri gisterorezektoskopiyanı qo'llash homiladorlikni rejalashtirayotgan bemorlar uchun katta ahamiyatga ega[9]. Gisterorektoskopiyaning klinik amaliyotga kiritilishi turli xil bachadonichi patologiyalarni bartaraf etish imkoniyatlarni sezilarli darajada kengaytirdi [10].

Biroq, endometriy patologiyasi bilan bog'liq bepusht ayollarini davolashda gisterorezektoskopiyanidan foydalanishning ko'p jihatlari etarlicha yaxshi yoritilmagan.

Tadqiqotning maqsadi bachadon ichi patologiyasi bilan bog'liq bepusht ayollarini tashxislash va davolashda gisterorezektoskopiyaning imkoniyatlari o'rganishdan iborat.

Material va usullar

Tadqiqotga 80 nafar yoshi 20-35 yoshdagagi bepusht ayollar kiritildi. Asosiy guruxga 23 nafar bachadon ichi sinexiyalari bilan va 37- nafar bachadon bo'shilg'i poliplari bilan kasallar (II- gurux) kiritildi. Nazorat guruxini esa, 20 nafar sog'lom ayollar tashkil qildi. Barcha bemorlarga klinik-laborator, gistogramorfologik va instrumental tekshiruvlardan o'tkazildi. Gisterorezektoskopiyanı «Karl Storz» qurilmasini qo'llagan holda o'tkaxildi. Gisterorezektoskopiya xayz siklining follikulyar fazasida o'tkazildi bunga sabab aynan mana shu muddatda bachadonichini o'zini va undagi o'simtalarni topik tashxislash ham oson bo'ladi. Barcha gisterorezektoskopik jarrohlik amaliyotini bajarilgan jarrohlik amaliyotlarida kesib olingan to'qima va qirmalarni gistogramorfologik tekshiruvga junatildi. Olingan natijalarga statistik ishlov berish Statistica for Windows v. 7.0. dasturini o'zida jo qilgan dasturda amalgalashirildi. Ma'lumotlar $M \pm m$ ko'rinishida tavsiflandi. Statistik muhim farq deb $p < 0,05$ ga mos keluvchi farq deb olindi.

Natijalar va tahlillar

Bemorarning o'rtacha yoshi $28,4 \pm 1,02$ yoshni tashkil etdi. Bepushtlikni davomiyligi 2 yildan 7 yilgacha bo'lgan muddatni tashkil etdi. Tadqiqot o'tkazilayotgan ayollarda gisterorezektoskopiya jarrohlik amaliyotini bajarayotganda qo'yilgan tashxislar tasdiqlandi ya'ni, 23 nafar (38,3%) ayolarda bachadon sinexiyalari va 37 (61,7%) nafarida endometriy poliplari aniqlandi. Bemorlardan 38,3% bachadon sinexiyasi mavjud ayollar asosan gipomenoreya, amenoreyaga shikoyat qilishgan bo'lishsa, 61,7% endometriy polipli ayollar nomuntazam uzoq muddatli xayz kelishiga shikoyat qilishdilar.


Endometriy poliplari ko'pincha bachadon tubida va bachadon naylari burchaklarida joylashganligi aniqlandi. Ularning shakli yumaloq, cho'zinchoq va konus shaklida aniqlandi. Ularning o'lchamlari 0,5 sm dan 2 sm gacha, soni esa 1 dan 2 gacha aniqlandi. Aniqlangan poliplarning rangi och pushti va och sariqdan och qizil ranggacha o'zgarib turardi. Barcha holatlarda poliplar organoid tuzilish ega edi: asosining - "oyoqlar"ning mavjudligi.

Gisterorezektoskopiya jarrohlik amaliyotini bajarish davomida olingan to'qimalarni patomorfologik tekshiruvi xulosalari: 61,7% bemorlarda endometriy bez-fibrozli poliplari - u 38,3% va fibrozli to'qimalar aniqlangan. Bemorlarning 38,3% sinexiyasi mavjud ayollarda gisteroskopik adgeziolizis va 61,7% nafar ayollarda gisteroskopik polipektomiya jarrohlik amaliyoti o'tkazildi. Jarrohlik amaliyotlarini bajarishni barcha holatlarda intraoperatsion asoratlar kuzatilmadi. Gisterorezektoskopiya jarrohlik amaliyoti o'tkazilgan bemorlarda xayz siklini tiklanishi guruxlarda mos ravishda 65% va 78%ni tashkil etdi.

Barcha 38,3% bachadonichi sineziyalarini adgeziolizis jarrohlik amaliyotini bajarilgan ayollarda mavjud patologik holatlarni residivini oldini olish maqsadida "Yunona" bachadonichi spirali, polipektomiya o'tkazilgan ayollarga esa "Mirena" bachadon ichi spirali kiritildi. Bachadon ichi spirali olib tashlangandan



keyin guruxlarda xayz faoliyatining tiklanishi mos ravishda homiladorlik bo‘lish salmog‘i guruxlarda mos ravishda 1- gurux ayollaridan 18 (60%) nafar 2-guruxda 21 (70%)ni tashkil etdi(rasmga qara).



Rasm. Tadqiqotga kiritilgan ayollarda xayz faoliyati tiklanishi va homiladorlik salmog‘i, %

Shunday qilib, ayollarda bepushtlikni rivojlanishida bachadonichi patologiyalaridan sinexiyalar va poliplar katta o‘rin tutib reproduktiv faoliyatini izdan chiqishishga olib keladi.

Bizning olingan ma’umotlarga ko‘ra, gisteroresektoskopiyadan foydalanish endometriy patologiyasi sababli kelib chiqqan bepushtlikni tashxislash bilan bir vaqtning o‘zida ularni to‘liq bartaraf etishga yordam beradi, bu esa bemorlarda homiladorlik bo‘lish salmog‘ini 2,1 barobarga oshishiga olib keladi.

Xulosa

Bachadonichi patologiyalarni tashxislash va davolashda gisterorezektoskopik jarroxlik texnologiyalarini qo‘llash ayollarda bepushtlikni bartaraf etilishiga va ularda 83,4%da fertillikni tiklanishiga olib keladi. Endometriy patologiyalarni tashxislash va davolashda gisterorezektoskopiyadan foydalanish ushbu patologiyalar bilan bog‘liq bepusht ayollarning homiladorlik bo‘lish darajasini 2,1 barobarga (83,4%) ga oshishiga olib keladi.

ADABIYOTLAR RO‘YXATI:

- Адамян Л.В. Результаты восстановления репродуктивной функции у больных с внутриматочной перегородкой после хирургического лечения и новые пути решения проблемы // Проблемы репродукции. – 2011. – Т.17(1). – С. 35–40.
- Абашидзе А. А. Структура бесплодия. О чем не стоит забывать // Справочник врача общей практики. – 2014. – № 4. – С. 81–84.
- Белякин С.А. Гистерорезектоскопия в лечении гинекологических заболеваний // Военно-медицинский журнал. – 2011. – №9. – С.59-61.
- Корнеева И.Е. Общая концепция диагностики и классификации форм бесплодия. Бесплодный брак. Современные подходы к диагностике и лечению: руководство. Под. ред. Г.Т. Сухих, Т.А. Назаренко. 2-е изд. испр. и доп. - М.: ГЭОТАР–Медиа, 2010. – С. 21–52.
- Фалконе Т. Репродуктивная медицина и хирургия /Слинисал репродуктиве медисине анд сургейр / Т. Фалконе, В. В. Херд, пер. с англ. под ред. Г. Т. Сухих. – Москва: ГЭОТАР–Медиа, 2013. – 948 с.
- Dawood A. Predisposing factors and treatment outcome of different stages of intrauterine adhesions / A. Dawood, A. Al-Talib, T. Tulandi // J. Obstetrics Gynaecol. Can. – 2010. – Vol.32(8). – P. 767–770.
- Deans R. Review of intrauterine adhesions / R. Deans, J. Abbott // J. Minim. Invasive Gynecol. – 2010. – Vol.17. – P. 555–569.
- Charles E. Miller. Reconstructive and Reproductive Surgery in Gynecology // Journal of Minimally Invasive Gynecology. – 2012. – Vol 19, №3. - P. 403.
- Etiology treatment, and reproductive prognosis of women with moderate-to-severe intrauterine adhesions / S. Xiao [et al.] // International Journal of Gynecology and Obstetrics. – 2014. – Vol.125. – P. 121–124.
- Shukurov F.I., Ayupova F.A. The Role of Reproductive Surgery in Diagnostics and Treatment of Combined Pathologies in Women with Infertility Caused by Benign Structural Changes of Ovaries// American Journal of Medicine and Medical Sciences, Volume 9, Number 6, May–2019 P-210-212.

Qabul qilingan sana 09.09.2022