

Raximberganov S.R., Raximova F.B. Klinik laborator diagnostika va informatika texnologiyalari uyg‘unlashuvi-zamon talabi	354
Saidov A.B., Madolimov A.M. Donor qonining yaroqsizlik sabablarini o‘rganish	355
Saidov.A.B., Kurbonova Z.Ch., Sayfutdinova Z.A., Shomansurova G.E. Qon komponentlarida bioximik ko‘rsatkichlar laborator tashxisi	357
Saidvaliev F.S., Subxanova A.X. Migren va zo‘riqish bosh og‘rig‘i bilan tashxislangan bemorlarda depressiya darajasini aniqlash	358
Saidvaliyev F.S, Subxanova A.X “Migren Pro” mobil ilovasini migren tashxisi qo‘yilgan bemorlarda samaradorligini baholash	359
Samatova L.D., Bobojonova Sh.D. Donorlarda gemotransmissiv torch infeksiyalar	359
Samatova M.G’. Vitamin B ₁₂ laborator tahlili va klinik ahamiyati	362
Sayfutdinova.Z.A., Yodgorova K.P. Ayollar salomatligi uchun qondagi temirning ahamiyati	363
Sayfutdinova Z.A., Yodgorova K.P. Ayollarda gemoglobin darajasini aniqlash ahamiyati	364
Sayfutdinova Z.A., Valijonova M.S. Homiladorlik davrida toksik gepatit kechishining ahamiyati	366
Sayfutdinova Z.A., Hidoyatova M.D. Laboratory diagnostics of salts in urine analysis	367
Sayfutdinova Z.A., Khidoyatova M.D. Normative indicators of urine analysis	369
Sayfutdinova Z.A., Xidoyatova M.D. Peshob tuzlarining laborator diagnostikasi	370
Sayfutdinova Z.A., Xidoyatova M.D. Laboratoriyada vakutaynerlardan foydalanish	371
Sayfutdinova Z.A. Peshobni tayyorlashning umumiy qoidalari	373
Sayfutdinova Z.A. Zimnitskiy sinamasi uchun ko‘rsatmalar	375
Sayfutdinova Z.A., Xidoyatova M.D. Ikki va uch stakanli sinamalar ...	376
Sayfutdinova Z.A. Peshobdagi diastaza va shaklli elementlar miqdorini o‘rganish uchun yig‘ish	378
Sayfutdinova Z.A. Peshobdagi diastaza va shaklli elementlar miqdorini o‘rganish uchun yig‘ish	379
Sayfutdinova Z.A. Reberg sinamasi uchun peshob yig‘ish va saqlash qoidalari	381

